


UNIQUE CONNECTIONS
FOR ALL SIZES


HIGH PRESSURE IN COMPACT
AND NON-CONTACT DESIGN




MATERIAL IN ALUMINIUM
DIE-CAST VERSION

RING BLOWER HT_CLASS

IDEAL FOR HIGH
DIFFERENTIAL PRESSURE
AVAILABLE IE1, IE2, IE3
AND VSD DRIVEN
AS AN OPTION




AVAILABLE ONE, TWO
AND THREE STAGE
HIGH PRESSURE RING BLOWER



HT-CLASS WITH INTEGRATED VSD
AS A DECENTRALIZED
INSTALLATION SOLUTION.



IMPELLERS IN
OPEN BLADE GEOMETRY
WITH AXIAL CLEARANCE




THREE STAGE HIGH-PRESSURE RING BLOWER

1. 3 impellers (series connection)
for three-stage high pressure



TWO-STAGE HIGH-PRESSURE RING BLOWER

1. 2 impellers (series connection)
for two-stage high pressure




SINGLE-STAGE HIGH-PRESSURE RING BLOWER



- 1 impeller for normal high pressure
- Suitable for positive and/or negative pressure applications
- Integrated silencers, suction and exhaust side
- External bearing
- Material in aluminium die-cast version
- Standard paint in RAL 9006
- The motors comply with the European standards EN 60034(ff.)
- Protection class at least IP55 and insulation class F
- Multi-range voltage version 50 and 60 Hz
- Energy efficiency class according to IE1 IE2 IE3
- Horizontal and vertical installation

HT IE1 50Hz OVERVIEW

VACUUM




PRESSURE




APPLICATION-SPECIFIC
VERSIONS SUPPLEMENTED
WITH FITTED
ACCESSORIES

HT IE2 50Hz OVERVIEW

VACUUM




PRESSURE




HIGHLY EFFICIENT FORWARD
CURVED IMPELLERS
BY OPEN BLADE GEOMETRY

HT VSD - DRIVEN OVERVIEW

VACUUM




PRESSURE



HT-CLASS WITH INTEGRATED VSD
AS A DECENTRALIZED
INSTALLATION SOLUTION

CUSTOMISED VERSIONS
ARE POSSIBLE



WETRAVENT
HOMEPAGE




WE ARE HAPPY TO HELP!

Advantage from a wide
range of services

Our expert contacts will help you in all areas.

We also are glad to provide on-site support.

Contact us by phone
07042-2893-200 or by email at
info@wetravent.de.
We look forward to your inquiry!



CUSTOMER FOCUSED SOLUTIONS
BY COMPETENT STAFF
AND MANY YEARS OF EXPERIENCE
ALL INDUSTRIES

Wetravent forms together with its
sales and service partners an extensive
worldwide network of area representatives



HEADQUARTERS

Am Fuchsloch 3
71665 Vaihingen an der Enz
Germany



KONTAKT

Tel. +49-(0)7042-2893-200
Fax +49-(0)7042-2893-209
Mail info@wetravent.de

WETRAVENT
AIR PRODUCTS

www.wetravent.de